

WHAT IS CLAIMED IS:

1. 1. A method of controlling at least one of a presentation format and a behavior of a web page of a web application comprising:
 3. in response to a request from a first web application having a first web page
 4. having a first presentation format and a first behavior, the request specifying at least one setting, generating a second web page, by a second web application external to the first web application, the second web page having a second presentation format and a second behavior, the second web page being generated in accordance with the at least one setting, wherein the at least one setting controls, at least in part, at least one of the second presentation format and the second behavior.
1. 2. The method of claim 1 wherein the at least one setting causes the second presentation format and the second behavior to be substantially similar to the first presentation format and the first behavior, respectively.
1. 3. The method of claim 1 further comprising:
 2. first invoking the first web application to provide a first set of data in the first web page having the first presentation format and the first behavior;
 4. second invoking, from the first web application, the second web application to provide a second set of data, wherein said first generating generates the second web page comprising at least a subset of the second set of data having, at least in part, at least one of the second presentation format and the second behavior in accordance with the at least one setting.
1. 4. The method of claim 1 wherein the second web page is displayed within the first web page.

- 1 5. The method of claim 1 wherein the second web page is displayed outside the first
2 web page.

- 1 6. The method of claim 1 wherein the at least one setting comprises at least one
2 setting selected from the group consisting of a graphics setting, a style sheet setting, and a
3 type setting.

- 1 7. The method of claim 1 wherein the request specifies a properties file, and the at
2 least one setting is specified in the properties file.

- 1 8. The method of claim 7 wherein the at least one setting comprises at least one
2 setting selected from the group consisting of a type setting, a graphics setting and a style
3 sheet setting.

- 1 9. The method of claim 1 wherein the at least one setting comprises a print enabled
2 setting to cause a print button to be displayed to allow the second set of data to be
3 printed.

- 1 10. An apparatus for controlling at least one of a presentation format and a behavior
2 of a web page of a web application, comprising:
3 a computer; and
4 one or more computer programs, executed by the computer, for integrating web
5 applications comprising:
6 in response to a request from a first web application having a first web page
7 having a first presentation format and a first behavior, the request specifying at least one
8 setting, generating a second web page, by a second web application external to the first
9 web application, the second web page having a second presentation format and a second
10 behavior, the second web page being generated in accordance with the at least one

11 setting, wherein the at least one setting controls, at least in part, at least one of the second
12 presentation format and the second behavior.

1 11. The apparatus of claim 10 wherein the at least one setting causes the second
2 presentation format and the second behavior to be substantially similar to the first
3 presentation format and the first behavior, respectively.

1 12. The apparatus of claim 10 wherein said one or more computer programs is also
2 for:

3 first invoking the first web application to provide a first set of data in the first web
4 page having the first presentation format and the first behavior;
5 second invoking, from the first web application, the second web application to
6 provide a second set of data, wherein said first generating generates the second web page
7 comprising at least a subset of the second set of data having, at least in part, at least one
8 of the second presentation format and the second behavior in accordance with the at least
9 one setting.

1 13. The apparatus of claim 10 wherein the second web page is displayed within the
2 first web page.

1 14. The apparatus of claim 10 wherein the second web page is displayed outside of
2 the first web page.

1 15. The apparatus of claim 10 wherein the at least one setting comprises at least one
2 setting selected from the group consisting of a graphics setting, a style sheet setting and a
3 type setting.

1 16. The apparatus of claim 10 wherein the request specifies a properties file, and the
2 at least one setting is specified in the properties file.

1 17. The apparatus of claim 16 wherein the at least one setting comprises at least one
2 setting selected from the group consisting of a type setting, a graphics setting and a style
3 sheet setting.

1 18. The apparatus of claim 10 wherein the at least one setting comprises a print-
2 enabled setting to cause a print button to be displayed to allow the second set of data to
3 be printed.

1 19. An article of manufacture comprising a computer program carrier readable by a
2 computer and embodying one or more instructions executable by the computer to perform
3 a method of controlling a presentation format and a behavior of a web application, the
4 method comprising:

5 in response to a request from a first web application having a first web page
6 having a first presentation format and a first behavior, the request specifying at least one
7 setting, generating a second web page, by a second web application external to the first
8 web application, the second web page having a second presentation format and a second
9 behavior, the second web page being generated in accordance with the at least one
10 setting, wherein the at least one setting controls, at least in part, at least one of the second
11 presentation format and the second behavior.

1 20. The article of manufacture of claim 19 wherein the at least one setting causes the
2 second presentation format and the second behavior to be substantially similar to the first
3 presentation format and the first behavior, respectively.

1 21. The article of manufacture of claim 19 wherein the method further comprises:
2 first invoking the first web application to provide a first set of data in the first web
3 page having the first presentation format and the first behavior; and
4 second invoking, from the first web application, the second web application to
5 provide a second set of data, wherein said first generating generates the second web page

6 comprising at least a subset of the second set of data having, at least in part, at least one
7 of the second presentation format and the second behavior in accordance with the at least
8 one setting.

1 22. The article of manufacture of claim 19 wherein the second web page is displayed
2 within the first web page.

1 23. The article of manufacture of claim 19 wherein the second web page is displayed
2 outside the first web page.

1 24. The article of manufacture of claim 19 wherein the at least one setting comprises
2 at least one setting selected from the group consisting of a graphics setting, a style sheet
3 setting and a type setting and a print enabled setting.

1 25. The article of manufacture of claim 19 wherein the request specifies a properties
2 file, and the at least one setting is specified in the properties file.

1 26. The article of manufacture of claim 25 wherein the at least one setting comprises
2 at least one setting selected from the group consisting of a type setting, a graphics setting
3 and a style sheet setting.

1 27. The article of manufacture of claim 19 wherein the at least one setting comprises
2 a print-enabled setting to cause a print button to be displayed to allow the second set of
3 data to be printed.